



# Line Up for Water Heat Pump

## [ Air to Water Heat Pump ]

(Heating Capa.)

System	Water Temperature (C/H)	Refrigerant	Power	Capacity (kW)						
				5	7	9	12	14	16	25
Therma V Monobloc 	5°C / 65°C	R32	1Ø 230V	● 5.5 (5.5)	● 7.0 (7.0)	● 9.0 (9.0)	● 12.0 (12.0)	● 14.0 (14.0)	● 16.0 (16.0)	
			3Ø 400V				● 12.0 (12.0)	● 14.0 (14.0)	● 16.0 (16.0)	
Therma V Spilt 	Hydro Box Type	R32	1Ø 230V	● 5.5 (5.5)	● 7.0 (7.0)	● 9.0 (9.0)				
			1Ø 230V				● 10.4 (12.0)	● 12.0 (14.0)	● 13.0 (16.0)	
		R410A	3Ø 400V				● 10.4 (12.0)	● 12.0 (14.0)	● 13.0 (16.0)	
	DHW Tank Integrated Unit		1Ø 230V			● 9.0 (9.0)	● 10.4 (12.0)	● 11.0 (14.0)	● 12.0 (16.0)	
			3Ø 400V				● 10.4 (12.0)	● 11.0 (14.0)	● 12.0 (16.0)	
Therma V High Temp.	High Temp. (Heating only)		1Ø 230V						● (16.0)	
Multi V S / S	Mid Temp.		1Ø 230V				● 12.3 (13.8)			● 28 (31.5)
	High Temp. (Heating only)		1Ø 230V					● (13.8)		● (25.2)

## [ Inverter Scroll Chiller Heat Pump ]

System	Water Temperature (C/H)	Refrigerant	Power	Capacity (kW)							
				65	74	114	130	148	171	195	222
Inverter Scroll Chiller Heat Pump	5°C / 55°C	R410A	3Ø 380V	● 65 (70.3)	● 74 (82)	● 114 (120)	● 130 (140.6)	● 148 (164)	● 171 (180)	● 195 (210.9)	● 222 (246)

\* Line up can be changeable.